





If you need your information in another language or medium (audio, large print, etc) please contact Customer Care on 0800 374 208 or send an email to: customercare@salisbury.nhs.uk

You are entitled to a copy of any letter we write about you. Please ask if you want one when you come to the hospital.

Please complete The Friends & Family Test to tell us about your experience at: www.salisbury.nhs.uk/ FriendsFamily or download our App from the Apple App store or Google Play Store.

The evidence used in the preparation of this leaflet is available on request. Please email: patient.information@ salisbury.nhs.uk if you would like a reference list.

Name: Belinda Mills

Role: Chemotherapy Nurse Practitioner Date written: September 2001 Review date: April 2021

Version: 3.0 Code: PI1026

Care of an Extravasation (Anthracycline and dexrazoxone)

There is a chance that some of the chemotherapy you received today has leaked out of your vein and under your skin. This is known as extravasation and is a rare but known complication of chemotherapy.

Your consultant has decided to prescribe you another medication called dexrazoxane (Savene[™]). This is an antidote to the chemotherapy that leaked out of the vein into the surrounding tissue and will prevent any tissue damage. It is given into a vein every day for three days. Each infusion will last over 1 - 2 hours. The nurse will give you an appointment for days 2 & 3. You will also be given a patient information leaflet written by the company who manufacture dexrazoxane.

It is important that you follow these instructions to minimise any discomfort or irritation this may cause.

A member of the chemotherapy nursing team will keep in touch with you on a regular basis to monitor your condition.

Call 01722 341930 if you:

- notice any changes at the site including increasing redness, pain, blisters, streaking down the arm, any signs of skin breakdown or swelling
- develop a temperature of more than 37.5°C
- have any questions, problems or concerns.

Special points:

- Do not apply any other lotion, cream or ointments unless instructed to do so by a doctor/nurse
- Do not expose the area to direct sunlight
- Avoid close fitting clothing that constricts the affected area
- Protect the area if it is to be immersed in water
- After showering dry the site gently. If you do take a bath avoid immersing the site in the water; a waterproof dressing may be required.
- Elevate the arm on a pillow whenever possible for a day.
- Take mild painkillers if necessary.

Appointment day 2:

day 3: